






Что есть CRC



1. CRC – SiArSi
2. Глобальный производитель
3. Химия для профессионального технического обслуживания и ремонта
 - Промышленного оборудования и инструмента
 - Автомобильного транспорта
 - Электроники и электрооборудования
 - Морского транспорта
4. Более 50 лет успешного международного опыта и практики (с 1958 г.)
5. Производитель для автопроизводителей и OEM-компаний

www.crcind.com - Europe

www.crcindustries.com – USA & worldwide



CRC Industries

- часть БЕРВИНД ГРУПП




- Компания Бервинд по добыче белого угля – основана в 1874 г.
- Семейный бизнес
- В списке FORBES “Самые крупные американские частные компании»
- CRC Industries входит в Бервинд Групп с 1981 г. (Дивизион Операционных компаний)



BERWIND



Berwind Corporation: Holding





Глобальный производитель



CRC Ind. Europe b.v.b.a.

CRC Canada Inc.



**CRC Ind.
Americas
Group**

CRC Ind. Australia Pty Ltd.

CRC Ind. New Zealand Ltd.




Европейское присутствие



CRC – Direct and indirect European coverage



CRC Industries Europe



Европейские представительства CRC Industries



Основные бизнес-сегменты

1^й MRO - ТОиР





Основные бизнес-сегменты

2^й Autorpro – Профессиональное ТО автотранспорта







Основные бизнес-сегменты:

3^й Autocon - Розничный сегмент





Основные бизнес-сегменты: 4^й ТОиР электрооборудования и электронных компонентов





CRC – глобальный производитель




CRC Precision Cleaners • Lubricants
Degreasers • Corrosion Inhibitors



Contact us to request your sample today

CRC Canada Inc., 2-1216 Lorraine Drive, Mississauga, ON L5S 1K2
T (905) 670-2291 • F (800) 268-2721 • F (905) 670-5041 • E ccrc@interlog.com

CRC CANADA, INC. ♦
www.crc-canada.ca





Поставки на рынок России с 2-х основных производств

- Бельгия – Zele: аэрозоли & емкости
- США – Warminster: аэрозоли & емкости
- Продукция CRC имеет Санитарно-Эпидемиологические
Заключения, сертификаты ГОСТ-Р либо отказные письма





АЯ46





CRC: глобальная продуктовая линейка



electrical / industrial



Продукты CRC для основных технологических операций

- Очистка / Обезжиривание
- Смазывание
- Антикоррозионная защита
- Защита при консервации / хранении
- Обработка инструмента / оборудования при нарезании резьбы / резки
- Быстрое высвобождение / демонтаж
- Монтаж / соединение / сборка
- Профилактика против заклинивания / коррозии при трении
- Склеивание / фиксация
- Неразрушающий контроль качества – капиллярная дефектоскопия
- Определение утечек
- Защита от сварочных брызг





CRC: постоянные инновации и техническая поддержка

CRC GALVACOLOR®
www.crcind.com

2in1
PRIMER & ZINC TOPCOAT

CRC Galvacolor is an aerosol paint that protects the metal from corroding through zinc phosphata pigments and the formation of a physical barrier.

Advantages of CRC Galvacolor:

- Easy applicable - minimal preparation
- Long lasting corrosion protection - prolonged service life
- Fast drying system - less downtime
- Nice aesthetic - beautiful satin finish
- Free of solvents
- Free of lead and chromate
- Protection through barrier formation and active pigmentation
- 2 in 1 - Primer and zinc top coat in one pass
- 1 coat protection for medium corrosive environments
- Available in 9 colors

Physical properties:

- Film thickness per spray pass: $\approx 30 \mu\text{m}$
- Dry to touch (at room temperature, 20 °C): $\approx 30 \text{ min}$
- Recommended film thickness: 50 - 80 μm
- Dry to touch (at room temperature, 20 - 30 °C): $\approx 30 \text{ min}$
- Fully cured (at room temperature, 20 - 30 °C): $\approx 6 \text{ h}$
- Minimum application temperature: $\approx 10^\circ\text{C}$ (substrate temp.)
- Adhesion: GT = D11
- Maximum operational temperature: 80°C
- Glass side glass: (NOL @ 40°C Germany)

Salt Spray: Tested against ISO 12944-5:2007, P4C3 category C3 moderate.

This test method corresponds in practice with the following environmental conditions:

- Inside environment: production halls with high humidity and limited air contamination, food production areas, laundries, breweries, dairy companies.
- Outside environment: City centers, industrial areas with limited SO₂, contamination, coastal areas with a mild salinity.

2in1
PRIMER & ZINC TOPCOAT

Advantages:

- "2 in 1" coat system.
- Easy applicable - minimal preparation.
- Long lasting corrosion protection - prolonged service life.
- Fast drying system - less downtime.
- No notification of Xylene on the aerosol can.
- Nice aesthetic - beautiful satin finish.
- Available in 9 colors.

Applications:

- Corrosion protection of industrial pipelines.
- Touch up particles of metal structures, after welding or maintenance works.

Colors:

- Yellow
- Red
- Violet
- Blue
- Green
- Brown
- Black
- White

2in1
PRIMER & ZINC TOPCOAT

Physical properties:

- Film thickness per spray pass: $\approx 30 \mu\text{m}$
- Dry to touch (at room temperature, 20 °C): $\approx 30 \text{ min}$
- Recommended film thickness: 50 - 80 μm
- Dry to touch (at room temperature, 20 - 30 °C): $\approx 30 \text{ min}$
- Fully cured (at room temperature, 20 - 30 °C): $\approx 6 \text{ h}$
- Minimum application temperature: $\approx 10^\circ\text{C}$ (substrate temp.)
- Adhesion: GT = D11
- Maximum operational temperature: 80°C
- Glass side glass: (NOL @ 40°C Germany)

Salt Spray: Tested against ISO 12944-5:2007, P4C3 category C3 moderate.

This test method corresponds in practice with the following environmental conditions:

- Inside environment: production halls with high humidity and limited air contamination, food production areas, laundries, breweries, dairy companies.
- Outside environment: City centers, industrial areas with limited SO₂, contamination, coastal areas with a mild salinity.

2in1
PRIMER & ZINC TOPCOAT

Постоянные инновации и выведение на рынок нового продукта

CRC GALVACOLOR®
Sales Information Sheet

2in1
PRIMER & ZINC TOPCOAT

Advantages:

- "2 in 1" coat system.
- Easy applicable - minimal preparation.
- Long lasting corrosion protection - prolonged service life.
- Fast drying system - less downtime.
- No notification of Xylene on the aerosol can.
- Nice aesthetic - beautiful satin finish.
- Available in 9 colors.

Applications:

- Corrosion protection of industrial pipelines.
- Touch up particles of metal structures, after welding or maintenance works.

Colors:

- Yellow
- Red
- Violet
- Blue
- Green
- Brown
- Black
- White


2in1
PRIMER & ZINC TOPCOAT



www.crcind.com



PROVEN. GLOBAL. SOLUTIONS



**ПРОВЕРЕННЫЕ.
ГЛОБАЛЬНЫЕ.
РЕШЕНИЯ.**

www.crcind.com